25X1

25X1

COMOR -D-13/52-20

10 January 1967

MEMORANDUM FOR:

Committee on Overhead Reconnaissance

SUBJECT:

Color Photography in the National

Reconnaissance Program

REFERENCE:

COMOR-D-13/52-17

- 1. The following is a rundown of various actions taken or pending with regard to the use of color photography in the National Reconnaissance Program. Also attached are answers to a cable from the CIA COMOR member, briefed below for your convenience, forwarded by NRO (Tab A) and NPIC (Tab B), respectively.
- In August (COMOR-M-378, paras 3 and 4), September (M-381, paras 14-16), and October (M-384, paras 8 and 9), COMOR discussed the need for color film in Mission 1037J and to assist in its decision, The conclusion of these discussions was to postpone further consideration of the use of color in 1037J to the spring of 1967.
- 3. On 10 November NRO summarized for COMOR (see reference):
 - The present status of color photography as seen by the NRO,
 - Current and planned color production capabilities within the NRP, and
 - Development efforts currently under way, or planned.

The information contained in this memorandum was extremely helpful. On 6 November the CIA COMOR member cabled a request (OPCEN 0590)

NRO review(s) completed.

Copy 📆 of 58

25X1

Exclusing proved For Release 2003/08/100 p C/4-RPFT 9B01709A003500060017-1

Approved For Release 2003/08/08 CIA-RDP79B01709A003500060017-1

COMOR-D-13/52-20

for additional information. The questions asked are repeated below:

decreased film capacity expressed in per cent (due

What is the cost of the film and

to the increas	ed thicl	kness of the emulsion) for:	
	(1)	One camera of the KH-4 sys	tem

- Cost of providing the community with c. color materials as specified by customer requirements as stated in COMOR-D-34/69 of 5 October 1966. If breakdown by customer is possible this information would be appreciated because the requirements for color mission have not been finalized and addition or deletion may occur.
- Aside from the requirement for additional light, is there any degradation effect on color film caused by weather/atmospheric conditions?
- At a previous COMOR meeting it was mentioned that some interpreters experience fatigue when looking at stereo pairs one of which is in color. Can you give us some idea of the seriousness of this problem?
- f. Accepting the losses in resolution and magnification limites as expressed in COMOR+D-13/52-17, do you believe these losses will significantly extend the time required for complete exploitation?

As state	ed in the	e first paragraph,	the replies	to this	cable are attac	hed.
			2			1

25X1

25X1

25X1

25X1

Approved For Release 2003/08/08 PEASE PEAB01709A003500060017-1

COMOR-D-13/52-20

25X1

of the use of color in either primary or secondary camera systems restudy the papers and information referred to above and be prepared to discuss the use of color in the NRP at the COMOR meeting on 2 March. Should there be questions involving any facts reported in the two attached memoranda, it is urged that those having the questions call either NPIC or NRO, as appropriate. Should the results of this interface produce information that should be made available to other members, this office will be glad to publish a supplement to this memorandum.

Executive Secretary

Committee on Overhead Reconnaissance

Attachments:

19, 20, 21

Tabs A and B

25X1

Copies 2,3 State TCO

4 DIA

5,6,7,8 DIA TCO

9,10 OACSI TCO

11,12 ONI TCO

13,14,15,16 AFNIN TCO

17,18 NSA TCO

NRO TCO

25X1 25X1

25X1

3

				COMOR-I Tab A	D-13/52-20
	· •		· L		
			L ₍	16 December 190	56)
ME	EMORANDUM FO	R CHAIRMAN,	COMOR		
SU	BJECT:	Color Film	vs Black aı	nd White Film	
RE	FERENCE:	OPCEN Mes	sage 0590,	5 December 196	6
pro	The followin		ing color fi	lm with black and	d white is
noi	l. Film I a thicker back of I a thicker back of I as follows:	oating is appro	oximately.		cker than
r	Camera	Colo (SC	r Film	Black & White I	Film
£	Camera One KH-4	(SC	r Film 0-121) 00 ft		Film T
	One KH-4	(SC 13, 5	0-121) 00 ft	(3404) 16,000 ft]
	One KH-4	Costs. The e	oo ft stimated fi	(3404) 16,000 ft Im costs listed be noted that when	elow
	One KH-4 2. Film	Costs. The e	oo ft stimated fi	(3404) 16,000 ft Im costs listed be noted that when	elow
filr On	One KH-4 2. Film	Costs. The e	oo ft stimated fi It should be are require	(3404) 16,000 ft Im costs listed be noted that when ed, and when using	elow using
filr On Du	One KH-4 2. Film ck and white film n 12 duplicates a e KH-4 Camera Color	Costs. The e 38 duplicates re required: 13,500 ft 16,000 ft	oo ft stimated fi It should be are require	(3404) 16,000 ft Im costs listed be noted that when ed, and when using	elow using
filr On Du	One KH-4 2. Film ck and white film n 12 duplicates a e KH-4 Camera Color Black & White plicates 12 Color	Costs. The e 38 duplicates re required: 13,500 ft 16,000 ft	oo ft stimated fi It should be are require	(3404) 16,000 ft Im costs listed be noted that when ed, and when using	elow using

Approved For Release 2003 TOPOS FOR FDP 79B01709A003500060017-1

า	_	v	1	
,	ኅ	Х	1	

COMOR-D-13/52-20 Tab A

3.	Film Distribution.	The following is a list of organizations

receiving color film copies from KH-4

25X1 25X1

AGENCY	NO. COPIES
NPIC DIA PROD CEN	4 1
CIA/IAD	1
SAC ARMY/SPAD	1
NRTSC	1
FTD	1
ENGINEERING	2

Weather Effects. Color film imagery is a synthetic dye, which has a tendency to gradually change color characteristics while in storage. This defect is accelerated by increased temperature and humidity or by prolonged exposure to ultraviolet or other strong illumination. However by careful storage and handling it will probably take from 5 to 8 years before serious change occurs. Of more direct consequence is the latent image deterioration of color film after exposure and prior to processing. Should the exposed color film go unprocessed for periods up to 16 days or more we should expect some loss in speed and a reduction in color saturation. However has recently been improved and it is expected that these degradations are no longer serious.

25X1

Information concerning other atmospheric and weather conditions; and interpreter fatigue will be presented separately by NPIC.

/S/

HENRY C. HOWARD Colonel, USAF Deputy Director for Operations NRO Staff

25X1

25X1

25X1

Approved F	or Release 2003/0008\$ EAREDP79B01709A003500060017-1
------------	--

COMOR - D - 13/52 - 2	C
Tab B	

(15 December 1966)

25X1

MEMORANDUM FOR:

Committee on Overhead Reconnaissance

THROUGH:

CIA Member, COMOR

SUBJECT:

Color Photography in the National

Reconnaissance Program

REFERENCE:

A. COMOR-D-13/52-17, 19 November 1966

B. OPCEN Message 0590 December 1966

l. In reply to Reference B, NPIC has prepared comments on paragraphs applicable to its operation.

2. Re paragraph 2d.

a. This paragraph implies that more light is required for the acquisition of color than for black and white photography. Actually the color film used in the programs under discussion requires approximately one-third the light required by black and white acquisition material. The quality of the light and not the quantity is the restriction on color acquisition. A single filter-pack has not been developed that will compensate for the "color" of the light at both high and low geodetic latitudes. Camera systems that have the capability of in-flight exposure and filter selection can extend the usefulness of color towards the extremes of geodetic latitudes.

b. Clouds have an adverse affect on the acquisition of all photography. The loss of information in cloud shadows is more pronounced in color photography because of the narrow exposure latitude inherent in color emulsions. Present color materials cannot provide detail in both sun lit and cloud shadow areas.

6

25X1 25X1

COMOR-D-13/52-20 Tab B

- c. Atmospherics cause scattering and refraction of light. Various wave lengths are affected differently. Filters are used to reduce atmospheric degradations by absorbing those wave lengths most detrimental. The same filters used with black and white emulsions cannot be used with color emulsions which are dependent upon a broader range of wave lengths, thus the atmosphere can cause a greater degradation of color photography than of black and white.
- d. The physical chemistry of color film is more significant than degradations introduced by light, weather or atmospheric conditions. The physical size of the chemicals in color emulsions will be a controlling factor as to what scale of color photography will be acceptable for intelligence exploitation. Laboratory and simulated tests have not been conclusive in making this determination.
- 3. Re paragraph 2e. The comment on interpreter fatigue as a result of viewing stereo pairs, one which is in color, is no longer valid. Through use and familiarity with new type materials (e.g. color) the fatigue that may be initially experienced probably diminishes to a point where it no longer is considered a serious problem.
- 4. Re paragraph 2F. The inability to achieve large magnifications due to the lesser resolution of color emulsions should not extend the time required to complete first and second phase exploitation; it may possibly reduce the time. The degree to which it would effect third phase exploitation depends on the nature of the intelligence required as well as the level of detail required.

/S/
Assistant for Operations, NPIC

25X1

25X1

25X1

7

COMOR-D-13/52-20

	Copy 1	DCI TCO for USIB/S
	22	TSO CIA
25X1	23	
•	24-33	Asst Ops/NPIC
	34,35	CIA COMOR Member
	36 , 37	CGS
	38,39	Ch/PWG
	40	Special Center TCO
	41	CGS ReqBr/RecceGrp
	42	D/OSI
	43	DDP TCO
25X1	44	DDS&T
	45	•
	46	ASA/D/DCI/NIPE
	47	D/OSP
i	48	D/OEL
	49	D/SA
	50	D/O/OSA
	51	Intel/O/OSA
	52	SS/OSA
	53	SA/OSA

54-58

SA(COMOR)/DDS&T

25X1